



MUPELLER, INC.
METAL BUILDINGS, ROOFING & COMPONENTS

877-2-MUELLER

www.MuellerInc.com

24'X24' DIY KIT FOR SLAB

**Mueller BYK buildings do not meet any specific code or engineering criteria.
These buildings are intended to be erected in geographical locations which
do not require engineered loads for buildings**

Parts List


The parts list shown in this manual is meant to be used as a reference only. Please refer to the invoice that was delivered with the kit that is being assembled.

Some of the parts listed may not be required for your kit building. Also some of the colors listed may not match the kit that you purchased. For an exact parts list for your particular building please reference your invoice as it will have all data required for your building. If you have any questions please contact your Sales Representative as they will be happy to assist.


Mid-Girts Sold at additional cost on selected kits

TRIM PAGE


Outside Corner # 0150
UPN – CFP – APN 11.25"




Door Head # 0300 & 0320
4.5" - 6.5"




MNB Eave #0801 7"




MNB OS Rake #1700 12"




MNB IS Rake #1701 8.75"





MNB RUD Flashing #1702
13.125"



To avoid leaking place sealer tape between roof sheets only.




BACK SIDE VIEW




Foam Closure

X & Y Dimensions are located further in the instructions







CORNER TRIM



Foam Closure







EAVE TRIM

DOOR SHOULD BE LOWER THAN BOTTOM OF TRIM




**NOTE FOR DOOR SIDE SHEETING ONLY:
START SHEET FLUSH WITH J-TRIM
ON BOTH SIDES OF DOOR**

To avoid leaking place sealer tape between roof sheets only.





"Z" Dimensions can be found Later in the instructions



BOT PURLIN


BOT CHAN







Note:
Leading and trailing edges of channel
and columns are over bent for a tight fit.
Spread apart as needed to nest the
columns into the channel.




Note:
Place only one bolt where shown to connect
the MKB1 clip. The other bolt will be used
when installing the corner column.





MAKE SURE THE ASSEMBLY IS SQUARE. ASSEMBLY IS SQUARE WHEN THE CORNER TO CORNER MEASUREMENTS ARE EQUAL. USE TEMPORARY BRACING TO HOLD ASSEMBLY SQUARE IF REQUIRED, TEMPORARY BRACING IS NOT INCLUDED.









NOTE: THE GIRT GOES TO THE INSIDE OF THE CLIP AS SHOWN






DETAIL T




On the endwall with the framed opening, start sheeting on one corner and work your way across.

BACK SIDE VIEW






DETAIL U






START SHEET 3/4" PAST THE END OF THE FRAME AND 1" FROM THE BOTTOM OF BASE

DETAIL V





NOTE: IF A FLOOR KIT WAS PURCHASED PLEASE ADD THE KIT PRIOR TO SHEETING. THE INSTRUCTIONS CAN BE FOUND ON P.24 & P.25










DETAIL X



NOTE: ROOF SHEET IS DESIGNED
TO HAVE A 2 1/2" OVERHANG








ANCHOR BOLT PLACEMENT DETAILS


SPECIAL NOTE:

One of the methods below must be used to maintain your Edge Creep Warrantee. See erection details for additional information.




TYP. SHEETING RECESS WITH
BASE DRIP EDGE TRIM

Base Drip Edge Trim must be used to maintain Edge Creep Warrantee.




TYP. SHEETING RECESS
WITHOUT BASE DRIP EDGE TRIM


Base Drip Edge Trim not required to maintain Edge Creep Warrantee.



O. H. DOOR BOLT LAYOUT




TYP. O. H. DOOR RECESS



FRAMED OPENING IS 5'-10" x 6'-5"

**WHEN INSTALLED PROPERLY THE OPEN HEIGHT
OF THE DOOR IS 6'-1"**



KIT COMES WITH A MUELLER

5'-9 1/2" x 6'-5" M250 ROLL UP DOOR

5'-10"

6'-5"

8'-11"

8'-2"