MUELLER
METAL BUILDINGS, ROOFING & MORE



ROOF & WALL

PROFILE OFFERING

STANDING SEAM ROOFING


R


BattenLok® HS

Mech-Seam*

Min. roof slope 1/2:12

Mechanically field-seamed. High-strength structural panel installs over purlins or bar joists with a clip system.





Coverage[1]
12″, 16″

Gauge
24 ⊕ 22

Coatings: Galvalume® Plus, Signature® 200, Signature® 300, Signature® 300 Metallic


R


MLK Panel

SuperLok®

Min. roof slope 1/2:12

Mechanically field-seamed. High-strength structural panel installs over open framing or a solid substructure with a clip system.





Coverage[1]
12″, 16″

Gauge
24 ⊕ 22

Coatings: Galvalume® Plus, Signature® 200, Signature® 300, Signature® 300 Metallic


R


MSL Panel

LokSeam®/Secure-Seam®/SL175*

Min. roof slope 3:12

Snap-together panel installs over open framing or a solid substructure with a clip system.





Coverage
12″, 15 ¼″, 16″

Gauge
24 ⊕ 22

Coatings: Galvalume® Plus, Signature® 200, Signature® 300, Signature® 300 Metallic


R


Double-Lok™

MTL Panel, TS-324®*

Min. roof slope 1/4:12

Mechanically field-seamed, trapeziodal leg panel installs over open framing with a clip system.





Coverage[1]
18″, 24″

Gauge
24 ⊕ 22


Coatings: Galvalume® Plus, Signature® 200, Signature® 300, Signature® 300 Metallic


R

Ultra-Dek®

Min. roof slope 1/4:12

Snap-together, trapezoidal leg panel installs over open framing with a clip system.





Coverage
18″, 24″

Gauge
24 ⊕ 22

Coatings: Galvalume® Plus, Signature® 200, Signature® 300, Signature® 300 Metallic

Color options vary by gauge and location. Contact your store for availability.

*Produced on-site at select locations with alternate name(s) shown.

[1] Coverage varies by location

R Roof W Wall U Underhung S Soffit

⊕ Contact your local store for assistance with optional gauges; 22 ga colors available in limited colors

CONCEALED FASTENER SYSTEM

R


Slimline®

Perma-Lok*

Min. roof slope 3:12

Snap-together panel with a low profile installs over a solid substructure.





Coverage
12″, 16″

Gauge
29 ⊕ 26

Coatings: Galvalume® Plus, Signature® 200


R

CFS & CF Panels

Min. roof slope 3:12

Snap-together panel with a low profile installs over a solid substructure.





Coverage
12″

Gauge
26


Coatings: Galvalume® Plus, Signature® 200, Signature® 300, Signature® 300 Metallic


R

CWP Panel

Min. roof slope 3:12

Snap-together panel with a low profile installs over a solid substructure. Ideal for complex roofs with multiple gables, valleys and transitions.





Coverage
16″

Gauge
24

Coatings: Galvalume® Plus, Signature® 200, Signature® 300, Signature® 300 Metallic


R

CWH Panel

Min. roof slope 3:12

Snap-together panel with a high profile installs over a solid substructure. Ideal for long, straight panel runs.





Coverage
16″

Gauge
24


Coatings: Galvalume® Plus, Signature® 200, Signature® 300, Signature® 300 Metallic

W

ShadowRib™

Fluted face creates distinctive shadow lines on wall applications. Installs over open faming.





Coverage
16″

Gauge
24 ⊕ 22

Coatings: Galvalume® Plus, Signature® 200, Signature® 300, Signature® 300 Metallic

Color options vary by gauge and location. Contact your store for availability.

*Produced on-site at select locations with alternate name(s) shown.

[1] Coverage varies by location

R Roof W Wall U Underhung S Soffit

⊕ Contact your local store for assistance with optional gauges; 22 ga colors available in limited colors

CONCEALED FASTENER SYSTEM

W
U
S


Coverage
12″

Gauge
24 ⊕ 22

FW-120
FWQ100

Installs over open framing. Create interesting lines and accents on wall applications. Optional installation with clips.





Coatings: Galvalume® Plus, Signature® 200, Signature® 300

U
S


Coverage
12″

Gauge
24 ⊕ 22

Artisan®
Soffit

Installs over open framing. Ideal for accenting both interior walls and soffits.





Coatings: Galvalume® Plus, Signature® 200, Signature® 300, Signature® 300 Metallic

Color options vary by gauge and location. Contact your store for availability.

*Produced on-site at select locations with alternate name(s) shown.

[1] Coverage varies by location

R Roof W Wall U Underhung S Soffit

⊕ Contact your local store for assistance with optional gauges; 22 ga colors available in limited colors



EXPOSED FASTENER SYSTEM

R W

Coverage
29″, 31-1/2″, 32″


Gauge
26 ⊕ 24, 22


CPB

PBC/Corrugated*

Min. roof slope 3:12

Timeless corrugated look; installs over open framing or a solid substructure.





Coatings: Galvalume® Plus, Signature® 200, Signature® 300

R W


Coverage
32″


Gauge
26 ⊕ 24, 22

PBD

Min. roof slope 3:12

Distinct profile for both roofs and walls. Installs over open framing or a solid substructure.





Coatings: Galvalume® Plus, Signature® 200, Signature® 300

R W


Coverage
36″


Gauge
26 ⊕ 24, 22

PBR

Min. roof slope 1/2:12

Popular structural panel installs over open framing or a solid substructure. Also available as R-panel without purlin bearing leg.





Coatings: Galvalume® Plus, Signature® 200, Signature® 300

R W


Coverage
36″


Gauge
26 ⊕ 24, 22

PBU

Min. roof slope 1:12

Versatile profile installs over open framing or a solid substructure. Also available as U-panel without purlin bearing leg.





Coatings: Galvalume® Plus, Signature® 200, Signature® 300

R W


Coverage
36″


Gauge
24 ⊕ 22

7.2 Panel

Min. roof slope 1/2:12

Versatile symmetrical look installs over open framing or a solid substructure.





Coatings: Galvalume® Plus, Signature® 200, Signature® 300, Signature® 300 Metallic

Color options vary by gauge and location. Contact your store for availability.

*Produced on-site at select locations with alternate name(s) shown.

[1] Coverage varies by location

R Roof W Wall U Underhung S Soffit

⊕ Contact your local store for assistance with optional gauges; 22 ga colors available in limited colors

EXPOSED FASTENER SYSTEM

R W

Coverage
36″


Gauges
29 ⊕ 26


SSP Panel

MasterRib®*

Min. roof slope 3:12

Trusted residential panel installs over open framing or a solid substructure.





Coatings: Galvalume® Plus, Signature® 200

R W


Coverage
36″


Gauges
29 ⊕ 26

Retro-R®

Min. roof slope 1/2:12

Apply directly over an existing PBR or R-panel roof to give your building new life.





Coatings: Galvalume® Plus, Signature® 200

R


Coverage
24″


Gauges
29, 26

5V Panel

Min. roof slope 3:12

Classic residential roof system installs over open framing or a solid substructure.





Coatings: Galvalume® Plus, Signature® 200

R


Coverage
24″


Gauge
26

AP Panel

Min. roof slope 3:12

Classic residential roof system with simplified lines installs over a solid substructure.





Coatings: Galvalume® Plus, Signature® 200

*Available at select locations.


W


Coverage
24″

Gauge
29

1-1/4″ Corrugated

Traditional agricultural panel for light projects or interior accents. Installs over open framing or a solid substructure.





Coatings: Galvalume® Plus, Signature® 200

Color options vary by gauge and location. Contact your store for availability.

*Produced on-site at select locations with alternate name(s) shown.

[1] Coverage varies by location

R Roof W Wall U Underhung S Soffit

⊕ Contact your local store for assistance with optional gauges; 22 ga colors available in limited colors

EXPOSED FASTENER SYSTEM


W


2-1/2" Corrugated

Coverage
24"

Gauge
29

Agricultural panel for light projects or interior accents. Installs over open framing or a solid substructure.





Coatings: Galvalume® Plus, Signature® 200

W


AVP Panel

Coverage
36"

Gauge
26 ⊕ 24, 22

Pencil ribs with angled surfaces provide visual interest for wall applications. Installs over open framing or solid substructure.





Coatings: Galvalume Plus®, Signature® 200, Signature® 300

Color options vary by gauge and location. Contact your store for availability.

*Produced on-site at select locations with alternate name(s) shown.

[1] Coverage varies by location

R Roof W Wall U Underhung S Soffit

⊕ Contact your local store for assistance with optional gauges; 22 ga colors available in limited colors









Scan to find your nearest store.

Can't make it to a local store? Our National Sales Center has you covered with nationwide delivery right to your door.

MUELLER™
METAL BUILDINGS, ROOFING & MORE

MUELLERINC.COM
877-2-MUELLER (877-268-3553) | SALES@MUELLERINC.COM

© 2026 Mueller, part of **Cornerstone Building Brands**, Inc. ALL RIGHTS RESERVED. 2607269991101/RevA/MS/1126